

ULTRA

ULTRA, an extensive range of wiring accessories with a stylish flat plate for modern domestic and commercial interiors.

Available in 8 standard finishes, all products are also available, to order, in a choice of 180 RAL colours or in special shapes.



ULTRA accessories have a completely flat metal plate which is only 1.5mm thick and sits flush to the wall. The ultra-slim profile means that they require deeper back boxes - 25mm for switches and 35mm for socket layouts and other wall accessories.

ULTRA offers the opportunity to produce virtually any colour or shape to meet practical or aesthetic needs.

Blank plates	115-116
Fused Connection units	102-104
Coverplates - grid/Options/ voice/data	115-119
Dimmers	108
Dolly switches - 20amp	109
Fan controls	108
Fan isolator switch	107
RCD sockets	101
Shaver supply units	112
Sockets - 13amp	94-98
Sockets - Outboard 13amp	96

Sockets - outboard 13amp metal rockers	96
Sockets - 13amp non-standard/ clean earth	97
Sockets - 5/15amp	102
Switches - 10amp	104-107
Switches - 20amp	110
Switches - 50amp	111
Telephone line jacks	115
TV/FM/satellite outlets	114
Technical information	134-137


Ultra


Naturally, ULTRA is offered across the wide range of Eaton's MEM wiring accessories. With Grid, voice/data and Options coverplates you can mix and match in different areas and still suite with our wiring accessories.

Create the ultra modern touch with a twist as Eaton's MEM can offer ULTRA in a vast range of RAL colours. With the added bonus - unique to us - you can have switches or sockets in any shape. The possibilities are endless.



CHOOSE FROM

1	Stainless Steel	where durability and functionality are of utmost importance.
2	Polished Brass	for luxurious and reflective finish.
3	Highly Polished	for an ultra modern appearance.
4	Brass Satin	designed to last with a high quality, highly durable finish.
5	White	where clear lines and minimalist zeal is achievable.
6	Anodised Silver	for the contemporary interior.
7	Antique Bronze	gives an antique finish where period décor is required without sacrificing modern benefits.
8	Metallic Grey	for extra protection and a cool appearance.
	Colours	choose from 180 RAL colours.




Unswitched/Switched Socket Outlets


	13A 1G Socket	13A 2G Socket	13A 1G SP Switched Socket	13A 2G SP Switched Socket
				
FINISHES				
Stainless Steel/Matt Chrome	U111SS	U112SS	U511SS	U512SS
Highly Polished	U111HP	U112HP	U511HP	U512HP
Polished Brass	U111PB	U112PB	U511PB	U512PB
White	U111WH	U112WH	U511WH	U512WH
Brass Satin	U111BS	U112BS	U511BS	U512BS
Anodised Silver	U111AS	U112AS	U511AS	U512AS
Antique Bronze	U111AB	U112AB	U511AB	U512AB
Antique Copper	U111AC	U112AC	U511AC	U512AC
Metallic Grey	U111MG	U112MG	U511MG	U512MG
RAL Colours	U111CL*	U112CL*	U511CL*	U512CL*
Forma Shapes	U111FS#	U112FS#	U511FS#	U512FS#
<p>Black Inserts</p> <p>To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012</p> <p>NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>To BS 1363:Part 2: 1995</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363:Part 2: 1995</p> <p>Dimensions 2G - 86mm x 146mm</p> <p>Fixing centres 2G - 120.7mm</p> <p>Flush Mounting Box 2G - F4567 (35mm deep with earth terminal)</p>	<p>To BS 1363:Part 2: 1995</p> <p>Terminals accept up to 3 x 4mm² conductors.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363:Part 2: 1995</p> <p>Terminals accept up to 3 x 4mm² conductors.</p> <p>Dimensions 2G - 86mm x 146mm</p> <p>Fixing centres 2G - 120.7mm</p> <p>Flush Mounting Box 2G - F4567 (35mm deep with earth terminal)</p>

Switched Socket Outlets


13A 1G DP Switched Socket
2 Earth Terminals




13A 1G DP Switched Socket
2 Earth Terminals + Neon



13A 1G DP Switched Socket
2 Earth Terminals
Metal Rocker



13A 2G DP Switched Socket
2 Earth Terminals



FINISHES

	U521SS	U521NSS	U525SS	U522SS
Stainless Steel/Matt Chrome	U521SS	U521NSS	U525SS	U522SS
Highly Polished	U521HP	U521NHP	U525HP	U522HP
Polished Brass	U521PB	U521NPB	U525PB	U522PB
White	U521WH	U521NWH	U525WH	U522WH
Brass Satin	U521BS	U521NBS	U525BS	U522BS
Anodised Silver	U521AS	U521NAS	U525AS	U522AS
Antique Bronze	U521AB	U521NAB	U525AB	U522AB
Antique Copper	U521AC	U521NAC	U525AC	U522AC
Metallic Grey	U521MG	U521NMG	U525MG	U522MG
RAL Colours	U521CL*	U521NCL*	U525CL*	U522CL*
Forma Shapes	U521FS#	U521NFS#	U525FS#	U522FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box

1G - F4556
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box

1G - F4556
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box

1G - F4556
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm

Flush Mounting Box

2G - F4567
(35mm deep with earth terminal)

Switched Socket Outlets



FINISHES

Stainless Steel/Matt Chrome	U522NSS	U532SS	U532NSS	U536SS
Highly Polished	U522NHP	U532HP	U532NHP	U536HP
Polished Brass	U522NPB	U532PB	U532NPB	U536PB
White	U522NWH	U532WH	U532NWH	U536WH
Brass Satin	U522NBS	U532BS	U532NBS	U536BS
Anodised Silver	U522NAS	U532AS	U532NAS	U536AS
Antique Bronze	U522NAB	U532AB	U532NAB	U536AB
Antique Copper	U522NAC	U532AC	U532NAC	U536AC
Metallic Grey	U522NMG	U532MG	U532NMG	U536MG
RAL Colours	U522NCL*	U532CL*	U532NCL*	U536CL*
Forma Shapes	U522NFS#	U532FS#	U532NFS#	U536FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm

Flush Mounting Box

2G - F4567
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm

Flush Mounting Box

2G - F4567
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm

Flush Mounting Box

2G - F4567
(35mm deep with earth terminal)

To BS 1363:Part 2: 1995

Terminals accept up to 3 x 4mm² conductors.

Dimensions
2G - 86mm x 146mm


Fixing centres
2G - 120.7mm

Flush Mounting Box

2G - F4567
(35mm deep with earth terminal)


Switched/Unswitched Socket Outlets

13A 1G Non-Standard
Unswitched Socket
Clean Earth




U120SS

13A 1G DP Switched
Socket 2 Earth Terminals
Non-Standard
/Clean Earth




U551SS

13A 1G DP Switched
Socket 2 Earth Terminals
Non-Standard
/Clean Earth



U551NSS

13A 1G DP Switched Socket
2 Earth Terminals Outboard
Metal Rockers Non-Standard
/Clean Earth



U555HP

FINISHES

Stainless Steel/Matt Chrome	U120SS	U551SS	U551NSS	U555SS
Highly Polished	U120HP	U551HP	U551NHP	U555HP
Polished Brass	U120PB	U551PB	U551NPB	U555PB
White	U120WH	U551WH	U551NWH	U555WH
Brass Satin	U120BS	U551BS	U551NBS	U555BS
Anodised Silver	U120AS	U551AS	U551NAS	U555AS
Antique Bronze	U120AB	U551AB	U551NAB	U555AB
Antique Copper	U120AC	U551AC	U551NAC	U555AC
Metallic Grey	U120MG	U551MG	U551NMG	U555MG
RAL Colours	U120CL*	U551CL*	U551NCL*	U555CL*
Forma Shapes	U120FS#	U551FS#	U551NFS#	U555FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

Non-standard socket interface to **BS 5733** with clean earth facility.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Non-standard socket interface to **BS 5733**

2 clean earth terminals and 2 standard earth terminals on each product.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Non-standard socket interface to **BS 5733**

2 clean earth terminals and 2 standard earth terminals on each product.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Non-standard socket interface to **BS 5733**

2 clean earth terminals and 2 standard earth terminals on each product.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Switched Socket Outlets



FINISHES

FINISHES	U552SS	U552NSS	U556SS	U571SS
Stainless Steel/Matt Chrome	U552SS	U552NSS	U556SS	U571SS
Highly Polished	U552HP	U552NHP	U556HP	U571HP
Polished Brass	U552PB	U552NPB	U556PB	U571PB
White	U552WH	U552NWH	U556WH	U571WH
Brass Satin	U552BS	U552NBS	U556BS	U571BS
Anodised Silver	U552AS	U552NAS	U556AS	U571AS
Antique Bronze	U552AB	U552NAB	U556AB	U571AB
Antique Copper	U552AC	U552NAC	U556AC	U571AC
Metallic Grey	U552MG	U552NMG	U556MG	U571MG
RAL Colours	U552CL*	U552NCL*	U556CL*	U571CL*
Forma Shapes	U552FS#	U552NFS#	U556FS#	U571FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

Non-standard socket interface to **BS 5733**
2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)


Non-standard socket interface to **BS 5733**
2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Non-standard socket interface to **BS 5733**
2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Standard socket interface to **BS 1363** with clean earth facility.
2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm
Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)


Lounge Plates

Lounge Plate, 2 x 13A SW DP Sockets, Quad Plate, BT Secondary **NEW**



U951SS

Lounge Plate, 2 x 13A SW DP Sockets, Quad Plate, BT Secondary, Spare Blank **NEW**



U952SS

FINISHES	NEW PRODUCT REF:	NEW PRODUCT REF:
Stainless Steel/Matt Chrome	U951SS	U952SS
Highly Polished	U951HP	U952HP
Polished Brass	-	-
White	U951WH	U952WH
Brass Satin	-	-
Anodised Silver	-	-
Antique Bronze	-	-
Antique Copper	-	-
Metallic Grey	-	-
RAL Colours	-	-
Forma Shapes	-	-

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012

NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

Dimensions
24G - 222mm x 279mm

Flush Mounting Box

24G - F8345 (56mm deep with earth terminal)

Metal divider for lounge plates ref: F8346 provides electrical separation of power and data.

Switched Socket Outlets



FINISHES			
Stainless Steel/Matt Chrome	U571NSS	U572SS	U572NSS
Highly Polished	U571NHP	U572HP	U572NHP
Polished Brass	U571NPB	U572PB	U572NPB
White	U571NWH	U572WH	U572NWH
Brass Satin	U571NBS	U572BS	U572NBS
Anodised Silver	U571NAS	U572AS	U572NAS
Antique Bronze	U571NAB	U572AB	U572NAB
Antique Copper	U571NAC	U572AC	U572NAC
Metallic Grey	U571NMG	U572MG	U572NMG
RAL Colours	U571NCL*	U572CL*	U572NCL*
Forma Shapes	U571NFS#	U572FS#	U572NFS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

Standard socket interface to **BS 1363** with clean earth facility.
2 clean earth terminals and 2 standard earth terminals on each product.
Terminals accept up to 3 x 4mm² conductors.
Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm
Flush Mounting Box
1G - F4566
(35mm deep with earth terminal)

Standard socket interface to **BS 1363** with clean earth facility.
2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

2 clean earth terminals and 2 standard earth terminals on each product.
Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

RCD Sockets



FINISHES	NEW PRODUCT REF:	NEW PRODUCT REF:	NEW PRODUCT REF:	NEW PRODUCT REF:
Stainless Steel/Matt Chrome	U585SS	U586SS	U587SS	U588SS
Highly Polished	U585HP	U586HP	U587HP	U588HP
Polished Brass	U585PB	U586PB	U587PB	U588PB
White	U585WH	U586WH	U587WH	U588WH
Brass Satin	U585BS	U586BS	U587BS	U588BS
Anodised Silver	U585AS	U586AS	U587AS	U588AS
Antique Bronze	U585AB	U586AB	U587AB	U588AB
Antique Copper	U585AC	U586AC	U587AC	U588AC
Metallic Grey	U585MG	U586MG	U587MG	U588MG
RAL Colours	U585CL*	U586CL*	U587CL*	U588CL*
Forma Shapes	U585FS#	U586FS#	U587FS#	U588FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

- Added protection against electrocution
- Active or Passive switching
- 10mA or 30mA protection

PASSIVE - The contacts on the Passive device remain closed when the mains supply is interrupted - this type is suitable for appliances such as fridge freezers etc.





ACTIVE - The contacts on the Active device open when the mains supply is interrupted - this type is suitable of Power tools, lawnmowers, hedge trimmers etc.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567 (35mm deep)

Surface Mounting Box
2G - F4502 (28mm deep)

Socket Outlets/Fused Connection Units

	5A 1G Socket	15A 1G SP Switched Socket	13A Fused Connection Unit OPTIONAL C/OUTLET	13A Fused Connection Unit Metal Fuse Cover Black Surround OPTIONAL C/OUTLET
				
FINISHES				
Stainless Steel/Matt Chrome	U305SS	U315SS	U200SS	U280SS
Highly Polished	U305HP	U315HP	U200HP	U280HP
Polished Brass	U305PB	U315PB	U200PB	U280PB
White	U305WH	U315WH	U200WH	-
Brass Satin	U305BS	U315BS	U200BS	-
Anodised Silver	U305AS	U315AS	U200AS	-
Antique Bronze	U305AB	U315AB	U200AB	-
Antique Copper	U305AC	U315AC	U200AC	-
Metallic Grey	U305MG	U315MG	U200MG	-
RAL Colours	U305CL*	U315CL*	U200CL*	-
Forma Shapes	U305FS#	U315FS#	U200FS#	-
<p>Black Inserts</p> <p>To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012 NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>To BS 546:1950</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 546:1950</p> <p>Terminals accept up to 3 x 4mm² conductors.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363 Part 4: 1995</p> <p>Supply live and neutral terminals accepts 3 x 2.5mm² cables.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363 Part 4: 1995</p> <p>Supply live and neutral terminals accepts 3 x 2.5mm² cables.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>

Fused Connection Units

	13A Fused Connection Unit + Neon OPTIONAL C/OUTLET	13A Fused Connection Unit + Neon Metal Fuse Cover Black Surround OPTIONAL C/OUTLET	13A DP Switched Fused Connection Unit OPTIONAL C/OUTLET	13A DP Switched Fused Connection Unit Metal Rocker Black Surround OPTIONAL C/OUTLET
				
FINISHES				
Stainless Steel/Matt Chrome	U200NSS	U280NSS	U201SS	U281SS
Highly Polished	U200NHP	U280NHP	U201HP	U281HP
Polished Brass	U200NPB	U280NPB	U201PB	U281PB
White	U200NWH	-	U201WH	-
Brass Satin	U200NBS	-	U201BS	-
Anodised Silver	U200NAS	-	U201AS	-
Antique Bronze	U200NAB	-	U201AB	-
Antique Copper	U200NAC	-	U201AC	-
Metallic Grey	U200NMG	-	U201MG	-
RAL Colours	U200NCL*	-	U201CL*	-
Forma Shapes	U200NFS#	-	U201FS#	-
<p>Black Inserts To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012 NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>To BS 1363 Part 4: 1995 Supply live and neutral terminals accepts 3 x 2.5mm² cables. Dimensions 1G - 86mm x 86mm Fixing centres 1G - 60.3mm Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363 Part 4: 1995 Supply live and neutral terminals accepts 3 x 2.5mm² cables. Dimensions 1G - 86mm x 86mm Fixing centres 1G - 60.3mm Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363 Part 4: 1995 Supply live and neutral terminals accepts 3 x 2.5mm² cables. Dimensions 1G - 86mm x 86mm Fixing centres 1G - 60.3mm Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 1363 Part 4: 1995 Supply live and neutral terminals accepts 3 x 2.5mm² cables. Dimensions 1G - 86mm x 86mm Fixing centres 1G - 60.3mm Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>

Fused Connection Units/Switches



FINISHES

Stainless Steel/Matt Chrome	U201NSS	U281NSS	U021SS	U081SS
Highly Polished	U201NHP	U281NHP	U021HP	U081HP
Polished Brass	U201NPB	U281NPB	U021PB	U081PB
White	U201NWH	-	U021WH	-
Brass Satin	U201NBS	-	U021BS	-
Anodised Silver	U201NAS	-	U021AS	-
Antique Bronze	U201NAB	-	U021AB	-
Antique Copper	U201NAC	-	U021AC	-
Metallic Grey	U201NMG	-	U021MG	-
RAL Colours	U201NCL*	-	U021CL*	-
Forma Shapes	U201NFS#	-	U021FS#	-

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
 NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS 1363 Part 4: 1995

Supply live and neutral terminals accepts 3 x 2.5mm² cables.

Dimensions
 1G - 86mm x 86mm
 Fixing centres
 1G - 60.3mm

Flush Mounting Box
 1G - F4556
 (35mm deep with earth terminal)

To BS 1363 Part 4: 1995

Supply live and neutral terminals accepts 3 x 2.5mm² cables.

Dimensions
 1G - 86mm x 86mm
 Fixing centres
 1G - 60.3mm

Flush Mounting Box
 1G - F4556
 (35mm deep with earth terminal)

To BS 3676 Part 1: 1989

Supplied with M3.5 fixing screws.

Each terminal is capable of accepting up to 3 x 1.5mm² conductors.

All terminal screws are backed off, ready to accept cable.


X-rated for fluorescent or inductive loads.

Dimensions 1G - 86mm x 86mm

Fixing centres 1G - 60.3mm

Flush Mounting Box
 1G - F4556 (35mm deep with earth terminal)

Switches



FINISHES

FINISHES	U022SS	U082SS	U023SS	U083SS
Stainless Steel/Matt Chrome	U022SS	U082SS	U023SS	U083SS
Highly Polished	U022HP	U082HP	U023HP	U083HP
Polished Brass	U022PB	U082PB	U023PB	U083PB
White	U022WH	-	U023WH	-
Brass Satin	U022BS	-	U023BS	-
Anodised Silver	U022AS	-	U023AS	-
Antique Bronze	U022AB	-	U023AB	-
Antique Copper	U022AC	-	U023AC	-
Metallic Grey	U022MG	-	U023MG	-
RAL Colours	U022CL*	-	U023CL*	-
Forma Shapes	U022FS#	-	U023FS#	-

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS 3676 Part 1: 1989

Supplied with M3.5 fixing screws.

Each terminal is capable of accepting up to 3 x 1.5mm² conductors.

All terminal screws are backed off, ready to accept cable.

X-rated for fluorescent or inductive loads.




Dimensions 1G - 86mm x 86mm

Fixing centres 1G - 60.3mm

Flush Mounting Box

1G - F4556 (35mm deep with earth terminal)

Switches

	10A 6G 2W Switch	10A Intermediate Switch	10A Intermediate Metal Rockers Black Surround	10A 1G Switch Bell Push
				
	U026PB	U017AS	U087SS	U015AB
FINISHES				
Stainless Steel/Matt Chrome	U026SS	U017SS	U087SS	U015SS
Highly Polished	U026HP	U017HP	U087HP	U015HP
Polished Brass	U026PB	U017PB	U087PB	U015PB
White	U026WH	U017WH	-	U015WH
Brass Satin	U026BS	U017BS	-	U015BS
Anodised Silver	U026AS	U017AS	-	U015AS
Antique Bronze	U026AB	U017AB	-	U015AB
Antique Copper	U026AC	U017AC	-	U015AC
Metallic Grey	U026MG	U017MG	-	U015MG
RAL Colours	U026CL*	U017CL*	-	U015CL*
Forma Shapes	U026FS#	U017FS#	-	U015FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS 3676 Part 1: 1989

Supplied with M3.5 fixing screws.

Each terminal is capable of accepting up to 3 x 1.5mm² conductors.

All terminal screws are backed off, ready to accept cable.

X-rated for fluorescent or inductive loads.

Dimensions
1G - 86mm x 86mm
2G - 86mm x 146mm

Fixing centres
1G - 60.3mm
2G - 120.7mm

Flush Mounting Box

1G - F4556 (35mm deep with earth terminal)

2G - F4567 (35mm deep with earth terminal)

Switches



FINISHES

Stainless Steel/Matt Chrome	U085SS	U031SS	U032SS	U048SS
Highly Polished	U085HP	U031HP	U032HP	U048HP
Polished Brass	U085PB	U031PB	U032PB	U048PB
White	-	U031WH	U032WH	U048WH
Brass Satin	-	U031BS	U032BS	U048BS
Anodised Silver	-	U031AS	U032AS	U048AS
Antique Bronze	-	U031AB	U032AB	U048AB
Antique Copper	-	U031AC	U032AC	U048AC
Metallic Grey	-	U031MG	U032MG	U048MG
RAL Colours	-	U031CL*	U032CL*	U048CL*
Forma Shapes	-	U031FS#	U032FS#	U048FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS 3676 Part 1: 1989

Supplied with M3.5 fixing screws.

Each terminal is capable of accepting up to 3 x 1.5mm² conductors.

All terminal screws are backed off, ready to accept cable.

X-rated for fluorescent or inductive loads.




Dimensions 1G - 86mm x 86mm

Fixing centres 1G - 60.3mm

Flush Mounting Box


1G - F4556 (35mm deep with earth terminal)

Switches/Dimmers

	10A 3 Pole Broad Isolator	250W 2G 2W Push Dimmer	400W 1G 1W Rotary Dimmer
			
	U049AB	U9132MG	U9041SS
FINISHES			
Stainless Steel/Matt Chrome	U049SS	U9132SS	U9041SS
Highly Polished	U049HP	U9132HP	U9041HP
Polished Brass	U049PB	U9132PB	U9041PB
White	U049WH	U9132WH	U9041WH
Brass Satin	U049BS	U9132BS	U9041BS
Anodised Silver	U049AS	U9132AS	U9041AS
Antique Bronze	U049AB	U9132AB	U9041AB
Antique Copper	U049AC	U9132AC	U9041AC
Metallic Grey	U049MG	U9132MG	U9041MG
RAL Colours	U049CL*	U9132CL*	U9041CL*
Forma Shapes	U049FS#	U9132FS#	U9041FS#
<p>Black Inserts</p> <p>To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012 NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>To BS 3676 Part 1: 1989</p> <p>Supplied with M3.5 fixing screws.</p> <p>Each terminal is capable of accepting up to 3 x 1.5mm² conductors.</p> <p>All terminal screws are backed off, ready to accept cable.</p> <p>X-rated for fluorescent or inductive loads.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>To BS 5518:1997 and BS EN 55014-1:1997</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>


Dolly Switches

20A 1G 2W Dolly Switch




U061HP

20A 2G 2W Dolly Switch




U062PB

20A 3G 2W Dolly Switch



U063WH

20A 4G 2W Dolly Switch



U064BS

FINISHES

Stainless Steel/Matt Chrome	U061SS	U062SS	U063SS	U064SS
Highly Polished	U061HP	U062HP	U063HP	U064HP
Polished Brass	U061PB	U062PB	U063PB	U064PB
White	U061WH	U062WH	U063WH	U064WH
Brass Satin	U061BS	U062BS	U063BS	U064BS
Anodised Silver	U061AS	U062AS	U063AS	U064AS
Antique Bronze	U061AB	U062AB	U063AB	U064AB
Antique Copper	U061AC	U062AC	U063AC	U064AC
Metallic Grey	U061MG	U062MG	U063MG	U064MG
RAL Colours	U061CL*	U062CL*	U063CL*	U064CL*
Forma Shapes	U061FS#	U062FS#	U063FS#	U064FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012

NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm


Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Dimensions
2G - 86mm x 146mm

Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Switches



FINISHES	U301AS	U385SS	U301NAS	U385NHP
Stainless Steel/Matt Chrome	U301SS	U385SS	U301NSS	U385NSS
Highly Polished	U301HP	U385HP	U301NHP	U385NHP
Polished Brass	U301PB	U385PB	U301NPB	U385NPB
White	U301WH	-	U301NWH	-
Brass Satin	U301BS	-	U301NBS	-
Anodised Silver	U301AS	-	U301NAS	-
Antique Bronze	U301AB	-	U301NAB	-
Antique Copper	U301AC	-	U301NAC	-
Metallic Grey	U301MG	-	U301NMG	-
RAL Colours	U301CL*	-	U301NCL*	-
Forma Shapes	U301FS#	-	U301NFS#	-

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012

NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

To BS 3676 Part 1:1989

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

To BS 3676 Part 1:1989

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

To BS 3676 Part 1:1989

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)


To BS 3676 Part 1:1989

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)


Switches/Socket Outlets

50A DP 1G
Switch + Neon




U322NBS

50A DP 2G Switch




U321SS

50A DP 2G
Switch + Neon



U321NHP

13A 1G DP Key
Switched Socket



U105SS

FINISHES

Stainless Steel/Matt Chrome	U322NSS	U321SS	U321NSS	U105SS
Highly Polished	U322NHP	U321HP	U321NHP	U105HP
Polished Brass	U322NPB	U321PB	U321NPB	U105PB
White	U322NWH	U321WH	U321NWH	U105WH
Brass Satin	U322NBS	U321BS	U321NBS	U105BS
Anodised Silver	U322NAS	U321AS	U321NAS	U105AS
Antique Bronze	U322NAB	U321AB	U321NAB	U105AB
Antique Copper	U322NAC	U321AC	U321NAC	U105AC
Metallic Grey	U322NMG	U321MG	U321NMG	U105MG
RAL Colours	U322NCL*	U321CL*	U321NCL*	U105CL*
Forma Shapes	U322NFS#	U321FS#	U321NFS#	U105FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To BS EN 60669-1

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

To BS EN 60669-1

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4531
(47mm deep with earth terminal)

To BS EN 60669-1

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm


Flush Mounting Box
2G - F4531
(47mm deep)

Socket supplied with common key to suit all.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Socket Outlets



FINISHES				
Stainless Steel/Matt Chrome	U106SS	U107SS	U370SS	U351SS
Highly Polished	U106HP	U107HP	U370HP	U351HP
Polished Brass	U106PB	U107PB	U370PB	U351PB
White	U106WH	U107WH	U370WH	U351WH
Brass Satin	U106BS	U107BS	U370BS	U351BS
Anodised Silver	U106AS	U107AS	U370AS	U351AS
Antique Bronze	U106AB	U107AB	U370AB	U351AB
Antique Copper	U106AC	U107AC	U370AC	U351AC
Metallic Grey	U106MG	U107MG	U370MG	U351MG
RAL Colours	U106CL*	U107CL*	U370CL*	U351CL*
Forma Shapes	U106FS#	U107FS#	U370FS#	U351FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

Socket supplied with common key, non-removable in the 'ON' position.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Socket supplied with individual lock and key.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

To ensure flush fitting the back boxes should be at least 2mm below the plaster surface.

To BS 3535 Part 1:1990

Provided with protection against overload by self resetting PTC thermistor.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4531
(47mm deep)

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Outlets



FINISHES

	2G TV Co-axial Outlet	1G TV/FM Isolated Co-axial Outlet	2G TV/FM Diplexer Co-axial Outlet	1G SAT Outlet
Stainless Steel/Matt Chrome	U352SS	U353SS	U354SS	U355SS
Highly Polished	U352HP	U353HP	U354HP	U355HP
Polished Brass	U352PB	U353PB	U354PB	U355PB
White	U352WH	U353WH	U354WH	U355WH
Brass Satin	U352BS	U353BS	U354BS	U355BS
Anodised Silver	U352AS	U353AS	U354AS	U355AS
Antique Bronze	U352AB	U353AB	U354AB	U355AB
Antique Copper	U352AC	U353AC	U354AC	U355AC
Metallic Grey	U352MG	U353MG	U354MG	U355MG
RAL Colours	U352CL*	U353CL*	U354CL*	U355CL*
Forma Shapes	U352FS#	U353FS#	U354FS#	U355FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012

NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Suitable for full band width 40-860MHz.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Single outlet TV/FM isolated co-axial sockete - suitable for 'T' box use with a single co-axial lead.

Suitable for full band width 40-860MHz.

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm





Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Suitable for full band width 40-860MHz.


Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Outlets

	2G TV/SAT Outlet	2G TV/Radio Outlet Screened	3G TV/SAT/Radio Outlet Screened	4G TV/Radio/SAT/Return Outlet
				
FINISHES				
Stainless Steel/Matt Chrome	U356SS	U357SS	U358SS	U359SS
Highly Polished	U356HP	U357HP	U358HP	U359HP
Polished Brass	U356PB	U357PB	U358PB	U359PB
White	U356WH	U357WH	U358WH	U359WH
Brass Satin	U356BS	U357BS	U358BS	U359BS
Anodised Silver	U356AS	U357AS	U358AS	U359AS
Antique Bronze	U356AB	U357AB	U358AB	U359AB
Antique Copper	U356AC	U357AC	U358AC	U359AC
Metallic Grey	U356MG	U357MG	U358MG	U359MG
RAL Colours	U356CL*	U357CL*	U358CL*	U359CL*
Forma Shapes	U356FS#	U357FS#	U358FS#	U359FS#
<p>Black Inserts</p> <p>To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012 NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>Suitable for full band width 40-860MHz.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>Suitable for full band width 40-860MHz.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>Suitable for full band width 40-860MHz.</p> <p>Dimensions 1G - 86mm x 86mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>	<p>Fully screened triplexer plate.</p> <p>Two cables can be connected to the outlet, one for incoming signals and the second for return path signals, via terminal and clamp connections. Provides 3 outputs and 1 return input. The unit is non-isolated.</p> <p>Dimensions 1G - 86mm x 86mm x 37mm</p> <p>Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p>

Outlets/Coverplates



FINISHES	U360PB	U361AS	U366PB	U391SS
Stainless Steel/Matt Chrome	U360SS	U361SS	U366SS	U391SS
Highly Polished	U360HP	U361HP	U366HP	U391HP
Polished Brass	U360PB	U361PB	U366PB	U391PB
White	U360WH	U361WH	U366WH	U391WH
Brass Satin	U360BS	U361BS	U366BS	U391BS
Anodised Silver	U360AS	U361AS	U366AS	U391AS
Antique Bronze	U360AB	U361AB	U366AB	U391AB
Antique Copper	U360AC	U361AC	U366AC	U391AC
Metallic Grey	U360MG	U361MG	U366MG	U391MG
RAL Colours	U360CL*	U361CL*	U366CL*	U391CL*
Forma Shapes	U360FS#	U361FS#	U366FS#	U391FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012

NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Fully screened triplexer plate.

One secondary telephone outlet allows connection to a set top box for interactive services. Two co-axial cables can be connected to the outlet, one for incoming signals and the second for return path signals via terminal and clamp connections. The outlet provides 3 outputs, 1 return input and 2 secondary telephone sockets. The outlet is non-isolated

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm

Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

Dimensions
1G - 86mm x 86mm
Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

Coverplates

	2G Blank Plate	Grid Plate 1 Gang	Grid Plate 2 Gang	Grid Plate 3 Gang
	  U392PB	  U801HP	  U802AS	  U803WH
FINISHES				
Stainless Steel/Matt Chrome	U392SS	U801SS	U802SS	U803SS
Highly Polished	U392HP	U801HP	U802HP	U803HP
Polished Brass	U392PB	U801PB	U802PB	U803PB
White	U392WH	U801WH	U802WH	U803WH
Brass Satin	U392BS	U801BS	U802BS	U803BS
Anodised Silver	U392AS	U801AS	U802AS	U803AS
Antique Bronze	U392AB	U801AB	U802AB	U803AB
Antique Copper	U392AC	U801AC	U802AC	U803AC
Metallic Grey	U392MG	U801MG	U802MG	U803MG
RAL Colours	U392CL*	U801CL*	U802CL*	U803CL*
Forma Shapes	U392FS#	U801FS#	U802FS#	U803FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333**.

Dimensions
2G - 86mm x 146mm
Fixing centres
2G - 120.7mm
Flush Mounting Box
2G - F4567
(35mm deep with earth terminal)

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
1G - 86mm x 86mm
Flush Mounting Box
1G - F8368
(35mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
1G - 86mm x 86mm
Flush Mounting Box
1G - F8368
(35mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
2G - 86mm x 146mm
Flush Mounting Box
2G - F8367
(35mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

Coverplates



FINISHES	Grid Plate 4 Gang	Grid Plate 6 Gang	Grid Plate 8 Gang	Grid Plate 9 Gang
Stainless Steel/Matt Chrome	U804SS	U806SS	U808SS	U809SS
Highly Polished	U804HP	U806HP	U808HP	U809HP
Polished Brass	U804PB	U806PB	U808PB	U809PB
White	U804WH	U806WH	U808WH	U809WH
Brass Satin	U804BS	U806BS	U808BS	U809BS
Anodised Silver	U804AS	U806AS	U808AS	U809AS
Antique Bronze	U804AB	U806AB	U808AB	U809AB
Antique Copper	U804AC	U806AC	U808AC	U809AC
Metallic Grey	U804MG	U806MG	U808MG	U809MG
RAL Colours	U804CL*	U806CL*	U808CL*	U809CL*
Forma Shapes	U804FS#	U806FS#	U808FS#	U809FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
2G - 86mm x 146mm

Flush Mounting Box
2G - F8367
(35mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
6G - 150mm x 150mm

Flush Mounting Box
6G - F8342
(41mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
8G - 150mm x 150mm

Flush Mounting Box
8G - F8342
(41mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
9G - 150mm x 210mm

Flush Mounting Box
9G - F8343
(41mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

Coverplates



FINISHES	Grid Plate 12 Gang	Grid Plate 18 Gang	Grid Plate 24 Gang	1G Voice/Data Module Frame
Stainless Steel/Matt Chrome	U812SS	U818SS	U824SS	U851SS
Highly Polished	U812HP	U818HP	U824HP	U851HP
Polished Brass	U812PB	U818PB	U824PB	U851PB
White	U812WH	U818WH	U824WH	U851WH
Brass Satin	U812BS	U818BS	U824BS	U851BS
Anodised Silver	U812AS	U818AS	U824AS	U851AS
Antique Bronze	U812AB	U818AB	U824AB	U851AB
Antique Copper	U812AC	U818AC	U824AC	U851AC
Metallic Grey	U812MG	U818MG	U824MG	U851MG
RAL Colours	U812CL*	U818CL*	U824CL*	U851CL*
Forma Shapes	U812FS#	U818FS#	U824FS#	U851FS#

Black Inserts

To order your chosen product with a black insert:

1. Use existing ref. no.
2. Add **B** to the end of ref. no. indicating black insert eg. U512B
3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS

* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012
NB. A set up charge will be incurred per colour per batch.

Shape details to be approved before ordering call: **08700 545 333.**

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
12G - 150mm x 210mm

Flush Mounting Box
12G - F8343
(41mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
18G - 219mm x 222mm

Flush Mounting Box
18G - F8344
(56mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

To ensure flush fitting the back box should be at least 2mm below the plaster surface.

Dimensions
24G - 219mm x 279mm

Flush Mounting Box
24G - F8345
(56mm deep with earth terminal)

To be used in conjunction with grid yoke, grid box and modules as identified on pages 139-145.

Dimensions
1G - 86mm x 86mm

Fixing centres
1G - 60.3mm

Flush Mounting Box
1G - F4556
(35mm deep with earth terminal)

For modules options please refer to page 152.



Coverplates

	2G Voice/Data Module Frame	4G Voice/Data Module Frame
		
FINISHES		
Stainless Steel/Matt Chrome	U852SS	U854SS
Highly Polished	U852HP	U854HP
Polished Brass	U852PB	U854PB
White	U852WH	U854WH
Brass Satin	U852BS	U854BS
Anodised Silver	U852AS	U854AS
Antique Bronze	U852AB	U854AB
Antique Copper	U852AC	U854AC
Metallic Grey	U852MG	U854MG
RAL Colours	U852CL*	U854CL*
Forma Shapes	U852FS#	U854FS#
<p>Black Inserts</p> <p>To order your chosen product with a black insert:</p> <ol style="list-style-type: none"> 1. Use existing ref. no. 2. Add B to the end of ref. no. indicating black insert eg. U512B 3. Finally add plate finish reference ie. SS to complete order ref. no. eg. U512BSS <p>* When ordering product in a colour from RAL colour chart insert four digit RAL number after product reference number eg. U512CL3012 NB. A set up charge will be incurred per colour per batch.</p> <p># Shape details to be approved before ordering call: 08700 545 333.</p>	<p>Dimensions 1G - 86mm x 86mm Fixing centres 1G - 60.3mm</p> <p>Flush Mounting Box 1G - F4556 (35mm deep with earth terminal)</p> <p>For modules options please refer to page 152.</p>	<p>Dimensions 2G - 86mm x 146mm Fixing centres 2G - 120.7mm</p> <p>Flush Mounting Box 2G - F4567 (35mm deep with earth terminal)</p> <p>For modules options please refer to page 152.</p>

ULTRA Flat metal range

RAL Colour Chart

Switches and sockets are available in any RAL colour from Eaton's Custom Colour Chart.



1000	GREEN BEIGE	1001	PALE BEIGE	1002	SAND YELLOW	1003	SIGNAL YELLOW	1004	DARK GOLDEN YELLOW	1005	HONEY YELLOW	1006	MAIZE YELLOW	1007	CHROME YELLOW
1011	BROWN BEIGE	1012	LEMON YELLOW	1013	PEARL WHITE	1014	DARK IVORY	1015	LIGHT IVORY	1016	SULPHUR YELLOW	1017	SAFFRON YELLOW	1018	ZINC YELLOW
1019	GREY BEIGE	1020	OLIVE YELLOW	1021	CADMIUM YELLOW	1023	TRAFFIC YELLOW	1024	OCBRE YELLOW	1027	CURRY YELLOW	1028	MELON YELLOW	1032	BROOM YELLOW
1033	DAHIA YELLOW	1034	PASTEL YELLOW	2000	YELLOW ORANGE	2001	RED ORANGE	2002	VERMILLION	2003	PASTEL ORANGE	2004	PURE ORANGE	2008	LIGHT RED ORANGE
2009	TRAFFIC ORANGE	2010	SIGNAL ORANGE	2011	DEEP ORANGE	2012	SALMON ORANGE	3000	FLAME RED	3001	RAL SIGNAL RED	3002	CARMINE RED	3003	RUBY RED
3004	PURPLE RED	3005	WINE RED	3007	BLACK RED	3009	OXIDE RED	3011	BROWN RED	3012	BEIGE RED	3013	TOMATO RED	3014	ANTIQUE PINK
3015	LIGHT PINK	3016	CORAL RED	3017	ROSE	3018	STRAWBERRY RED	3020	TRAFFIC RED	3022	DARK SALMON RED	3027	RASPBERRY RED	3031	ORIENT RED
4001	RED LILAC	4002	RED VIOLET	4003	HEATHER VIOLET	4004	CLARET VIOLET	4005	BLUE LILAC	4006	TRAFFIC PURPLE	4007	PURPLE VIOLET	4008	SIGNAL VIOLET
4009	PASTEL VIOLET	4010	TELEMAGENTA	5000	VIOLET BLUE	5001	GREEN BLUE	5002	ULTRAMARINE BLUE	5003	DARK SAPPHIRE BLUE	5004	BLACK BLUE	5005	SIGNAL BLUE
5007	BRILLIANT BLUE	5008	GREY BLUE	5009	LIGHT AZURE BLUE	5010	GENTIAN BLUE	5011	STEEL BLUE	5012	LIGHT BLUE	5013	DARK COBALT BLUE	5014	PIGEON BLUE
5015	MID SKY BLUE	5017	TRAFFIC BLUE	5018	TURKISH BLUE	5019	CAPRI BLUE	5020	OCEAN BLUE	5021	WATER BLUE	5022	NIGHT BLUE	5023	FERN BLUE
5024	PASTEL BLUE	6000	PATINA GREEN	6001	MID EMERALD GREEN	6002	LEAF GREEN	6003	MID OLIVE GREEN	6004	BLUE GREEN	6005	LIGHT MOSS GREEN	6006	GREY OLIVE

RAL Colour Chart



6007 BOTTLE GREEN	6008 BROWN GREEN	6009 FIR GREEN	6010 MID GRASS GREEN	6011 RESEDA GREEN	6012 BLACK GREEN	6013 REED GREEN	6014 YELLOW OLIVE
6015 BLACK OLIVE	6016 TURQUOISE GREEN	6017 MAY GREEN	6018 YELLOW GREEN	6019 PASTEL GREEN	6020 CHROME GREEN	6021 PALE GREEN	6022 BROWN OLIVE
6024 TRAFFIC GREEN	6025 BRACKEN GREEN	6026 OPAL GREEN	6027 TURKISH GREEN	6028 PINETREE GREEN	6029 MINT GREEN	6032 SIGNAL GREEN	6033 TURQUOISE BLUE
6034 PALE TURQUOISE	7000 DARK SQUIRREL GREY	7001 SILVER GREY	7002 OLIVE GREY	7003 MOSS GREY	7004 SIGNAL GREY	7005 MOUSE GREY	7006 BEIGE GREY
7008 KHAKI GREY	7009 GREEN GREY	7010 TARPULIN GREY	7011 IRON GREY	7012 BASALT GREY	7013 BROWN GREY	7015 SLATE GREY	7016 ANTHRACITE GREY
7021 BLACK GREY	7022 UMBER GREY	7023 CONCRETE GREY	7024 GRAPHITE GREY	7026 GRANITE GREY	7030 STONE GREY	7031 BLUE GREY	7032 GREY
7033 CEMENT GREY	7034 YELLOW GREY	7035 PALE GREY	7036 PLATINUM GREY	7037 DUSTY GREY	7038 AGATE GREY	7039 QUARTZ GREY	7040 WINDOW GREY
7042 TRAFFIC GREY A	7043 TRAFFIC GREY B	7044 SILKY GREY	7045 TELEGRAY 1	7046 TELEGRAY 2	7047 TELEGRAY 4	8000 GREEN BROWN	8001 GOLD BROWN
8002 SIGNAL BROWN	8003 CLAY BROWN	8004 COPPER BROWN	8007 FAWN BROWN	8008 OLIVE BROWN	8011 NUT BROWN	8012 RED BROWN	8014 SEPIA BROWN
8015 CHESTNUT BROWN	8016 MAHOGANY BROWN	8017 CHOCOLATE BROWN	8019 GREY BROWN	8022 BLACK BROWN	8023 ORANGE BROWN	8024 BEIGE BROWN	8025 PALE BROWN
8028 EARTH BROWN	9001 CREAM	9002 GREY WHITE	9003 SIGNAL WHITE	9004 SIGNAL BLACK	9005 JET BLACK	9010 PURE WHITE	9011 GRAPHITE BLACK
9016 TRAFFIC WHITE	9017 TRAFFIC BLACK	9018 PAPYRUS WHITE					



There are so many choices with Eaton's MEM wiring accessories. Not only are they great to look at but you can touch them too.

With a choice of textured finishes available there's something for everyone.

Antique Nickel TXAN
 Graphite Beige TXGB
 Mosaic Red TXMR
 Mosaic Blue TXMB

To order your chosen product with a texture.


1. Use existing reference number
2. Add texture reference eg. U023TXAC

Colours shown on this card are approximate only due to, among other things, printing limitations. We do not accept responsibility for variation.

Colours and associated data from RAL are reproduced by permission of RAL, Siegburger Strasse 39, D-53757, Saint Augustin, Germany from whom copies of the standard may be obtained.

Forma

Circle



Flag



Splodge



Don't be square!

Get in shape and create sockets and switches in any shape you feel like.


With 3 standard, ready to order shapes -

- Circle
- Flag
- Splodge

Which are available in Stainless Steel/ Matt Chrome and Highly Polished.

The shape you choose can also be any colour from the 180 RAL colours on offer.





Lounge Plate Functionality

Team up 1 and 2 gang sockets, TV/Satellite or telephone outlets with these design outlet plates. Choose from the clean, cool and sophisticated lines of the ULTRA flat plate or the high quality plate finish of the AURA flush plate. Both plate styles are available in White (metal), Stainless Steel and Highly Polished plate finishes.

www.eatonelectrical.co.uk